



alumax

DOORS CATALOG
2024

ECO MAX



About us

We are a company at the forefront and leader in the Aluminum Industry, in the Manufacture of Doors and Windows. Its infrastructure is solid and growing. Counting on a vast experience of more than 20 years in the aluminum industry.

Our company is characterized by its name that is synonymous with quality, reliability and service that attends and dominates the field of hardware, projects and home improvements. Our manufacturing infrastructure is located in San Sebastián, Añasco, Ponce and Santo Domingo, with an endorsed team to ensure the quality of our products, taking into account the current needs and demands of our customers.

Localities



PONCE

**Zona Industrial Reparada
Ponce, P.R 00716**

Mission

Offer a wide range of products of the highest quality and lead the market of the aluminum industry and the manufacture of Doors and Windows.

Values

Commitment
Sustainability
Service
Quality
Responsibility
Passion
Human talent

Vision

To be the fastest growing Company in the aluminum industry and preserve our leadership in the aluminum industry and the manufacture of doors and windows.



ECO MAX DOORS



ECO 05 LIGHT



Details

Constructed to the strongest standards in aluminum with a gage of .50 in the thickness of each piece of aluminum. The light material categorized as the strongest on the market.

The door includes 3 1/2 x 3 1/2 white hinges, a single hole in the lock and the frame to facilitate the installation of the same.

Width	Height	Price
36"	80"	
36"	84"	

Color

White

Glass Color


Clear Bronze Blue Green White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT




SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT





alumax

ECO 05 HEAVY

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.

Width	Height	Price
-------	--------	-------

36"	80"	
-----	-----	--

36"	84"	
-----	-----	--

Color

White

Glass Color


• Clear • Bronze • Blue Green • White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT




SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT



ECO 06 LIGHT



Details

Constructed to the strongest standards in aluminum with a gage of .50 in the thickness of each piece of aluminum. The light material categorized as the strongest on the market.

The door includes 3 1/2 x 3 1/2 white hinges, a single hole in the lock and the frame to facilitate the installation of the same.

Width	Height	Price
36"	80"	
36"	84"	

Color

White

Glass Color


Clear Bronze Blue Green White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT




SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT






alumax

ECO 06 HEAVY

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.



Width	Height	Price
36"	80"	
36"	84"	

Color

White

Glass Color


• Clear • Bronze • Blue Green • White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT



SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT

ECO 07 LIGHT



Details

Constructed to the strongest standards in aluminum with a gage of .50 in the thickness of each piece of aluminum. The light material categorized as the strongest on the market.

The door includes 3 1/2 x 3 1/2 white hinges, a single hole in the lock and the frame to facilitate the installation of the same.

Width	Height	Price
36"	80"	
36"	84"	

Color

White

Glass Color


Clear Bronze Blue Green White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT




SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT






alumax

ECO 07 HEAVY

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.



Width Height Price

36" 80"

36" 84"

Color

White

Glass Color


• Clear • Bronze • Blue Green • White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT



SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT

ECO 08 LIGHT



Details

Constructed to the strongest standards in aluminum with a gage of .50 in the thickness of each piece of aluminum. The light material categorized as the strongest on the market.

The door includes 3 1/2 x 3 1/2 white hinges, a single hole in the lock and the frame to facilitate the installation of the same.

Width	Height	Price
36"	80"	
36"	84"	

Color

White

Glass Color


Clear Bronze Blue Green White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT




SEEN FROM OUTSIDE



OUT LEFT

OUT RIGHT






alumax

ECO 08 HEAVY

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.



Width	Height	Price
-------	--------	-------

36"	80"	
-----	-----	--

36"	84"	
-----	-----	--

Color

White

Glass Color


• Clear • Bronze • Blue Green • White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT



SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT

ECO 09 LIGHT



Details

Constructed to the strongest standards in aluminum with a gage of .50 in the thickness of each piece of aluminum. The light material categorized as the strongest on the market.


The door includes 3 1/2 x 3 1/2 white hinges, a single hole in the lock and the frame to facilitate the installation of the same.

Width	Height	Price
24"	80"	
26"	80"	
28"	80"	
30"	80"	
32"	80"	
34"	80"	
36"	80"	
24"	84"	
26"	84"	
28"	84"	
30"	84"	
32"	84"	
34"	84"	
36"	84"	

Color


White

SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT






alumax

ECO 09 HEAVY

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.




Width	Height	Price
24"	80"	
26"	80"	
28"	80"	
30"	80"	
32"	80"	
34"	80"	
36"	80"	
24"	84"	
26"	84"	
28"	84"	
30"	84"	
32"	84"	
34"	84"	
36"	84"	

Color

White

SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT

ECO 12 LIGHT



Details

Constructed to the strongest standards in aluminum with a gage of .50 in the thickness of each piece of aluminum. The light material categorized as the strongest on the market.

The door includes 3 1/2 x 3 1/2 white hinges, a single hole in the lock and the frame to facilitate the installation of the same.

Width	Height	Price
36"	80"	
36"	84"	

Color

White

Glass Color


Clear Bronze Blue Green White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT




SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT





alumax

ECO 12 HEAVY

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.

Width	Height	Price
-------	--------	-------

36"	80"	
-----	-----	--

36"	84"	
-----	-----	--

Color

White

Glass Color


• Clear • Bronze • Blue Green • White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT




SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT



ECO-13

SLAT 3" IN GLASS

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.

Width	Height	Price
-------	--------	-------

36"	80"	
-----	-----	--

36"	84"	
-----	-----	--

Color

White

Glass Color


• Clear • Bronze • Blue Green • White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT




SEEM FROM OUTSIDE




OUT LEFT

OUT RIGHT





alumax



ECO-13

SLAT 4" IN GLASS

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.

Width	Height	Price
36"	80"	
36"	84"	

Color

White

Glass Color


• Clear • Bronze • Blue Green • White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT



SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT

ECO-13

SLAT 3" IN ALUMINUM

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.

Width	Height	Price
-------	--------	-------

36"	80"	
-----	-----	--

36"	84"	
-----	-----	--

Color


White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT




SEEN FROM OUTSIDE



OUT LEFT

OUT RIGHT





ECO-13

SLAT 4" IN ALUMINUM

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.

Width	Height	Price
36"	80"	
36"	84"	

Color


White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT



SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT

ECO-14

SLAT 3" IN GLASS

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.

Width	Height	Price
36"	80"	
36"	84"	

Color

White

Glass Color


Clear Bronze Blue Green White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT




SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT





ECO-14

SLAT 4" IN GLASS

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.

Width	Height	Price
36"	80"	
36"	84"	

Color

White

Glass Color


• Clear • Bronze • Blue Green • White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT



SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT

ECO-14

SLAT 3" IN ALUMINUM

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.

Width	Height	Price
-------	--------	-------

36"	80"	
-----	-----	--

36"	84"	
-----	-----	--

Color

White

Glass Color


• Clear • Bronze • Blue Green • White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT




SEEN FROM OUTSIDE



OUT LEFT

OUT RIGHT





ECO-14

SLAT 4" IN ALUMINUM

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.

Width	Height	Price
36"	80"	
36"	84"	

Color


White

Glass Color


• Clear • Bronze • Blue Green • White

Position or Opening

SEEN FROM INSIDE



SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT

ECO-15

SLAT 3" IN GLASS

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.

Width	Height	Price
-------	--------	-------

36"	80"	
-----	-----	--

36"	84"	
-----	-----	--

Color

White

Glass Color


Clear Bronze Blue Green White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT




SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT





ECO-15

SLAT 4" IN GLASS

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.

Width	Height	Price
36"	80"	
36"	84"	

Color

White

Glass Color


• Clear • Bronze • Blue Green • White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT




SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT



ECO-15

SLAT 3" IN ALUMINUM

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.

Width	Height	Price
36"	80"	
36"	84"	

Color


White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT




SEEN FROM OUTSIDE



OUT LEFT

OUT RIGHT






ECO-15

SLAT 4" IN ALUMINUM

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.



Width	Height	Price
36"	80"	
36"	84"	

Color


White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT



SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT

ECO-16

SLAT 3" IN GLASS

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.

Width	Height	Price
-------	--------	-------

36"	80"	
-----	-----	--

36"	84"	
-----	-----	--

Color

White

Glass Color


• Clear • Bronze • Blue Green • White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT




SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT





alumax


ECO-16

SLAT 4" IN GLASS

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.



Width Height Price

36"	80"	
36"	84"	

Color

White

Glass Color


• Clear • Bronze • Blue Green • White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT



SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT

ECO-16

SLAT 3" IN ALUMINUM

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.

Width	Height	Price
36"	80"	
36"	84"	

Color


White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT




SEEN FROM OUTSIDE



OUT LEFT

OUT RIGHT





alumax


ECO-16

SLAT 4" IN ALUMINUM

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.



Width Height Price

36" 80"

36" 84"

Color


White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT



SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT

ECO 17 LIGHT



Details

Constructed to the strongest standards in aluminum with a gage of .50 in the thickness of each piece of aluminum. The light material categorized as the strongest on the market.

The door includes 3 1/2 x 3 1/2 white hinges, a single hole in the lock and the frame to facilitate the installation of the same.

Width	Height	Price
36"	80"	
36"	84"	

Color

White

Glass Color


Clear Bronze Blue Green White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT




SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT






alumax

ECO 17 HEAVY

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.



Width	Height	Price
-------	--------	-------

36"	80"	
-----	-----	--

36"	84"	
-----	-----	--

Color

White

Glass Color


• Clear • Bronze • Blue Green • White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT



SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT

ECO 18 LIGHT



Details

Constructed to the strongest standards in aluminum with a gage of .50 in the thickness of each piece of aluminum. The light material categorized as the strongest on the market.

The door includes 3 1/2 x 3 1/2 white hinges, a single hole in the lock and the frame to facilitate the installation of the same.

Width	Height	Price
36"	80"	
36"	84"	

Color

White

Glass Color


• Clear • Bronze • Blue Green • White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT




SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT






alumax

ECO 18 HEAVY

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.



Width	Height	Price
-------	--------	-------

36"	80"	
-----	-----	--

36"	84"	
-----	-----	--

Color

White

Glass Color


• Clear • Bronze • Blue Green • White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT



SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT

ECO 19 LIGHT



Details

Constructed to the strongest standards in aluminum with a gage of .50 in the thickness of each piece of aluminum. The light material categorized as the strongest on the market.

The door includes 3 1/2 x 3 1/2 white hinges, a single hole in the lock and the frame to facilitate the installation of the same.

Width	Height	Price
36"	80"	
36"	84"	

Color

White

Glass Color


• Clear • Bronze • Blue Green • White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT




SEEM FROM OUTSIDE




OUT LEFT

OUT RIGHT





alumax



ECO 19 HEAVY

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.

Width	Height	Price
36"	80"	
36"	84"	

Color


White

Glass Color


• Clear • Bronze • Blue Green • White

Position or Opening

SEEN FROM INSIDE



SEEM FROM OUTSIDE



ECO 20 LIGHT



Details

Constructed to the strongest standards in aluminum with a gage of .50 in the thickness of each piece of aluminum. The light material categorized as the strongest on the market.

The door includes 3 $3\frac{1}{2}$ x $3\frac{1}{2}$ white hinges, a single hole in the lock and the frame to facilitate the installation of the same.


Width	Height	Price
24"	80"	
26"	80"	
28"	80"	
30"	80"	
32"	80"	
34"	80"	
36"	80"	
24"	84"	
26"	84"	
28"	84"	
30"	84"	
32"	84"	
34"	84"	
36"	84"	

Color

White


Glass Color

• Clear • Bronze • Blue Green • White





alumax



ECO 20 HEAVY

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.

Width	Height	Price
24"	80"	
26"	80"	
28"	80"	
30"	80"	
32"	80"	
34"	80"	
36"	80"	
24"	84"	
26"	84"	
28"	84"	
30"	84"	
32"	84"	
34"	84"	
36"	84"	

Color

White

Glass Color

• Clear • Bronze • Blue Green • White

ECO 21 LIGHT



Details

Constructed to the strongest standards in aluminum with a gage of .50 in the thickness of each piece of aluminum. The light material categorized as the strongest on the market.

The door includes 3 1/2 x 3 1/2 white hinges, a single hole in the lock and the frame to facilitate the installation of the same.

Width	Height	Price
36"	80"	
36"	84"	

Color

White

Glass Color


• Clear • Bronze • Blue Green • White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT




SEEM FROM OUTSIDE




OUT LEFT

OUT RIGHT





alumax



ECO 21 HEAVY

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.

Width	Height	Price
36"	80"	
36"	84"	

Color


White

Glass Color


• Clear • Bronze • Blue Green • White

Position or Opening

SEEN FROM INSIDE



SEEM FROM OUTSIDE



ECO 22 LIGHT



alumax

Details

Constructed to the strongest standards in aluminum with a gage of .50 in the thickness of each piece of aluminum. The light material categorized as the strongest on the market.

The door includes 3 1/2 x 3 1/2 white hinges, a single hole in the lock and the frame to facilitate the installation of the same.

Width	Height	Price
36"	80"	
36"	84"	

Color

White

Glass Color


Clear Bronze Blue Green White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT




SEEM FROM OUTSIDE




OUT LEFT

OUT RIGHT





alumax



ECO 22 HEAVY

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.

Width	Height	Price
36"	80"	
36"	84"	

Color

White

Glass Color


• Clear • Bronze • Blue Green • White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT



SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT

ECO 23 LIGHT



Details

Constructed to the strongest standards in aluminum with a gage of .50 in the thickness of each piece of aluminum. The light material categorized as the strongest on the market.

The door includes 3 1/2 x 3 1/2 white hinges, a single hole in the lock and the frame to facilitate the installation of the same.

Width	Height	Price
36"	80"	
36"	84"	

Color

White

Glass Color


• Clear • Bronze • Blue Green • White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT




SEEM FROM OUTSIDE




OUT LEFT

OUT RIGHT





alumax



ECO 23 HEAVY

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.

Width	Height	Price
36"	80"	
36"	84"	

Color

White

Glass Color


• Clear • Bronze • Blue Green • White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT



SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT

ECO 25 LIGHT



Details

Constructed to the strongest standards in aluminum with a gage of .50 in the thickness of each piece of aluminum. The light material categorized as the strongest on the market.

The door includes 3 1/2 x 3 1/2 white hinges, a single hole in the lock and the frame to facilitate the installation of the same.

Width	Height	Price
36"	80"	
36"	84"	

Color

White

Glass Color


• Clear • Bronze • Blue Green • White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT




SEEN FROM OUTSIDE




OUT LEFT

OUT RIGHT





alumax



ECO 25 HEAVY

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.

Width	Height	Price
36"	80"	
36"	84"	

Color


White

Glass Color


• Clear • Bronze • Blue Green • White

Position or Opening

SEEN FROM INSIDE



SEEM FROM OUTSIDE



ECO 26 LIGHT



Details

Constructed to the strongest standards in aluminum with a gage of .50 in the thickness of each piece of aluminum. The light material categorized as the strongest on the market.

The door includes 3 1/2 x 3 1/2 white hinges, a single hole in the lock and the frame to facilitate the installation of the same.

Width	Height	Price
36"	80"	
36"	84"	

Color

White

Glass Color


• Clear • Bronze • Blue Green • White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT




SEEN FROM OUTSIDE



OUT LEFT

OUT RIGHT






alumax

ECO 26 HEAVY

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.



Width	Height	Price
-------	--------	-------

36"	80"	
-----	-----	--

36"	84"	
-----	-----	--

Color

White

Glass Color


• Clear • Bronze • Blue Green • White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT



SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT

ECO 27 LIGHT



Details

Constructed to the strongest standards in aluminum with a gage of .50 in the thickness of each piece of aluminum. The light material categorized as the strongest on the market.

The door includes 3 1/2 x 3 1/2 white hinges, a single hole in the lock and the frame to facilitate the installation of the same.

Width	Height	Price
36"	80"	
36"	84"	

Color


White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT



SEEN FROM OUTSIDE




OUT LEFT

OUT RIGHT





alumax



ECO 27 HEAVY

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.

Width	Height	Price
36"	80"	
36"	84"	

Color


White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT



SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT

ECO 28 LIGHT



Details

Constructed to the strongest standards in aluminum with a gage of .50 in the thickness of each piece of aluminum. The light material categorized as the strongest on the market.

The door includes 3 $3\frac{1}{2} \times 3\frac{1}{2}$ white hinges, a single hole in the lock and the frame to facilitate the installation of the same.

Width	Height	Price
36"	80"	
36"	84"	

Color


White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT



SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT





alumax



ECO 28 HEAVY

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.

Width	Height	Price
36"	80"	
36"	84"	

Color


White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT



SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT

ECO 29 LIGHT



Details

Constructed to the strongest standards in aluminum with a gage of .50 in the thickness of each piece of aluminum. The light material categorized as the strongest on the market.

The door includes 3 1/2 x 3 1/2 white hinges, a single hole in the lock and the frame to facilitate the installation of the same.

Width	Height	Price
36"	80"	
36"	84"	

Color

White

Glass Color


• Clear • Bronze • Blue Green • White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT




SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT






alumax

ECO 29 HEAVY

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.



Width	Height	Price
-------	--------	-------

36"	80"	
-----	-----	--

36"	84"	
-----	-----	--

Color

White

Glass Color


• Clear • Bronze • Blue Green • White

Position or Opening

SEEN FROM INSIDE

IN RIGHT

IN LEFT



SEEM FROM OUTSIDE

OUTSIDE

OUTSIDE

INSIDE

OUTSIDE

OUT LEFT

OUT RIGHT

ECO 30 LIGHT



alumax

Details

Constructed to the strongest standards in aluminum with a gage of .50 in the thickness of each piece of aluminum. The light material categorized as the strongest on the market.

The door includes 3 1/2 x 3 1/2 white hinges, a single hole in the lock and the frame to facilitate the installation of the same.

Width	Height	Price
36"	80"	
36"	84"	

Color

White

Glass Color


• Clear • Bronze • Blue Green • White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT




SEEN FROM OUTSIDE



OUT LEFT

OUT RIGHT






alumax

ECO 30 HEAVY

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.



Width	Height	Price
-------	--------	-------

36"	80"	
-----	-----	--

36"	84"	
-----	-----	--

Color

White

Glass Color


• Clear • Bronze • Blue Green • White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT



SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT

ECO 31 LIGHT



Details

Constructed to the strongest standards in aluminum with a gage of .50 in the thickness of each piece of aluminum. The light material categorized as the strongest on the market.

The door includes 3 1/2 x 3 1/2 white hinges, a single hole in the lock and the frame to facilitate the installation of the same.

Width	Height	Price
36"	80"	
36"	84"	

Color

White

Glass Color


Clear Bronze Blue Green White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT




SEEN FROM OUTSIDE



OUT LEFT

OUT RIGHT






alumax

ECO 31 HEAVY

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.



Width	Height	Price
-------	--------	-------

36"	80"	
-----	-----	--

36"	84"	
-----	-----	--

Color

White

Glass Color


• Clear • Bronze • Blue Green • White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT



SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT

ECO 32 LIGHT



Details

Constructed to the strongest standards in aluminum with a gage of .50 in the thickness of each piece of aluminum. The light material categorized as the strongest on the market.

The door includes 3 $3\frac{1}{2} \times 3\frac{1}{2}$ white hinges, a single hole in the lock and the frame to facilitate the installation of the same.

Width	Height	Price
36"	80"	
36"	84"	

Color

White

Glass Color


• Clear • Bronze • Blue Green • White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT



SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT






alumax

ECO 32 HEAVY

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.



Width	Height	Price
36"	80"	
36"	84"	

Color

White

Glass Color


• Clear • Bronze • Blue Green • White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT



SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT

ECO 33 LIGHT



Details

Constructed to the strongest standards in aluminum with a gage of .50 in the thickness of each piece of aluminum. The light material categorized as the strongest on the market.

The door includes 3 1/2 x 3 1/2 white hinges, a single hole in the lock and the frame to facilitate the installation of the same.

Width	Height	Price
36"	80"	
36"	84"	

Color

White

Glass Color


Clear Bronze Blue Green White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT




SEEN FROM OUTSIDE



OUT LEFT

OUT RIGHT





alumax

ECO 33 HEAVY

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.

Width	Height	Price
36"	80"	
36"	84"	

Color


White

Glass Color



• Clear • Bronze • Blue Green • White

Position or Opening

SEEN FROM INSIDE



SEEM FROM OUTSIDE



ECO 34 LIGHT



Details

Constructed to the strongest standards in aluminum with a gage of .50 in the thickness of each piece of aluminum. The light material categorized as the strongest on the market.

The door includes 3 1/2 x 3 1/2 white hinges, a single hole in the lock and the frame to facilitate the installation of the same.

Width	Height	Price
36"	80"	
36"	84"	

Color

White

Glass Color


• Clear • Bronze • Blue Green • White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT




SEEM FROM OUTSIDE




OUT LEFT

OUT RIGHT





alumax



ECO 34 HEAVY

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.

Width	Height	Price
36"	80"	
36"	84"	

Color

White

Glass Color


• Clear • Bronze • Blue Green • White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT



SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT

ECO 35 LIGHT



Details

Constructed to the strongest standards in aluminum with a gage of .50 in the thickness of each piece of aluminum. The light material categorized as the strongest on the market.

The door includes 3 1/2 x 3 1/2 white hinges, a single hole in the lock and the frame to facilitate the installation of the same.

Width	Height	Price
36"	80"	
36"	84"	

Color

White

Glass Color


• Clear • Bronze • Blue Green • White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT




SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT





alumax

ECO 35 HEAVY

Details

Constructed to the strongest standards in aluminum with a gage of .62 in the thickness of each piece of aluminum.

The Door includes 4 "x 4" stainless steel hinges. Includes the frame to facilitate the installation of it.

Width	Height	Price
-------	--------	-------

36"	80"	
-----	-----	--

36"	84"	
-----	-----	--

Color

White

Glass Color


• Clear • Bronze • Blue Green • White

Position or Opening


SEEN FROM INSIDE

IN RIGHT

IN LEFT




SEEM FROM OUTSIDE



OUT LEFT

OUT RIGHT





alumax

SEE MORE

Scan the code to see more of our products.

Security Windows
PROTECTOR



Closet Doors
BEST VIEW





alumax